

Conservefloridawater.org GUIDE Change Log

Fixed or Implemented in Conserve Florida Water Guide v1.4

- Altered logout functionality to fully destroy user session variables
 - [Issue #124](#)
- Fixed gpcd calculations in Profile report
 - [Issue #163](#)
- Updated survey.aspx page logic to correctly display correct sub-step tab indication
 - [Issue #116](#), [Issue #166](#)
- Updated links on Conservation rate structure page (step 1b) so they would correctly display step 1 navigation
 - [Issue #160](#)
- Changed “County” input on Profile page to drop down box of all Florida counties.
 - [Issue #108](#)
- Fixed Water Loss assessment text boxes so they would not be restricted to whole numbers
 - [Issue #162](#)
- Conservation Rate Structure detection inconsistencies fixed
 - [Issue #104](#)
- SMTP setting in web.config updated so reset passwords can be sent successfully
 - [Issue #169](#)
- Web session cookies set to expire after 4 hours of inactivity for security needs
 - [Issue #151](#)
- Justification requirements removed when modifying a BMP with no default savings rate
 - [Issue #168](#)
- DNS settings reset to correct values after web site reconfiguration causing access problems
 - [Issue #172](#)
- Fully enabled functionality to remove previously selected customer sectors
 - [Issue #113](#)
- Business logic of BMP scenarios altered so that current year is now always set to first year of Utility profile. Previous logic caused calculations to fail when current year was not in range of Utility Profile period
 - [Issue #165](#)
- Fixed incorrect calculation of present worth costs in BMP scenario calculation
 - [Issue #165](#)
- CUP/WUP page updated to correct missing permit quantities definition in code, which was causing data not to be saved
 - [Issue #170](#)
- Fixed incorrect definition of conservation rate structure (rates must be *greater* than lower volume rate, not greater than or equal to)
 - [Issue #171](#)
- Fixed inconsistent application of Conservation rate structure detection amongst water source types (potable, potable for irrigation, reclaimed water)
 - [Issue #171](#)

Fixed or Implemented in Conserve Florida Water Guide v1.3

- Fixed “Server Error in ‘/’ Application” error after selecting save button.
 - [Issue #134](#)
- Planning Report in Step 8 no longer returning red “x” and empty document
 - [Issue #130](#)
- Conservation Rate Structure Page now correctly detecting Conservation rate structures
 - [Issue #18](#)
- Added method to remove High Use Customer entries (missing delete function)
 - [Issue #157](#)
- Fixed error preventing editing of existing high use customer entry
 - [Issue #133](#)
- Added method to remove meter sizes on Sectors and Meters page (missing delete function)
 - [Issue #41](#)
- Change password screen does not return user to Guide
 - [Issue #112](#)
- Non-Residential Water Use Percentage calculation fixed
 - [Issue #75](#), [Issue #109](#)
- “By Volume” option added for meter replacement frequency, “As needed” option added for testing meters and calibrating meters
 - [Issue #128](#)
- Water Loss evaluation fixed so “0”s are no longer reset to null values
 - [Issue #158](#)
- Adding/removing user access to profile restricted to users with “Owner” access level only
 - [Issue #5](#)
- Fixed error when saving Sectors and Meters page
 - [Issue #132](#)
- Fixed delete button on Other Measures/BMPs page
 - [Issue #159](#)
- Added delete functionality to Profile sections that lacked delete options, including Water Use Permits, High Use Customers, Historical Water Use, Cost of Water, and Sectors and Meters
 - [Issue #73](#)
- Removed extra default tabs in Socio-Economic data entry fields
 - [Issue #64](#), [Issue #119](#)
- Fixed method to “remove” BMPs in Step 4 of Planning section
 - [Issue #122](#)
- Created method to allow BMPs to be “Restored” in Step 4 of planning section (no code previously existed)
 - [Issue #161](#)
- User permission restrictions for “Editor” and “Viewer” permission levels implemented
 - [Issue #4](#)
- Modified Source water metering description to add clarification
 - [Issue #37](#)

Fixed or implemented in Conserve Florida Water Guide v1.2

- Updated User management on Profile Information page
 - [Issue #2](#)
- Added User permission levels (permission restrictions not implemented yet)
 - [Issue #4](#)
- Added function to delete Consumptive use Permits
 - [Issue #10](#)
- Glossary link now opens in new page
 - [Issue #23](#)
- Removed link to Reuse technical document in User's Manual opening page
 - [Issue #24](#)
- Fixed Profile summary report failure due to Cost of Water division by zero
 - [Issue #26](#)
- Changed "Yearly" to "Annually" on System Audit page
 - [Issue #35](#)
- Fixed incorrect tab display on Workshops profile page
 - [Issue #36](#)
- Fixed Optional BMPs profile page so it redirects to correct location on save.
 - [Issue#48](#)
- Plan horizon now accepts start year and plan duration
 - [Issue #49](#), [Issue #126](#)
- Added date format example for expiration date on permit info page
 - [Issue #50](#)
- Fixed Misspelled text on permit info page
 - [Issue #51](#)
- Fixed misspelled text on Water Loss Assessment page
 - [Issue #56](#)
- Removed references to IWA water audit on Water Loss Assessment page as the two methods aren't alike
 - [Issue #58](#)
- Recoded data entry and data validation on Cost of water to fix incrementing of year error
 - [Issue #61](#)
- Fixed page title capitalization
 - [Issue #62](#)
- Added link to specific location in User manual on Socio-Economic page
 - [Issue #63](#)
- Changed Profile report to accurately display Public Information sub-bulleted items
 - [Issue #71](#)
- Fixed text on Rate Structure by Sector page
 - [Issue #83](#)
- Fixed Profile report being created with incorrect file type extension on Internet Explorer 6
 - [Issue #106](#)
- Added ability to select meter sizes for "Other" residential sector on Sectors and Meters page
 - [Issue #107](#)
- Fixed missing navigation bar after "save" on Service Connection Metering, Pressure Stabilization valves, Customer Surveys, and Conservation Coordinator
 - [Issue #118](#)
- Added validation so that all critical fields are required on Utility Profile information page

- [Issue #121](#)
- Fixed missing navigation bar on High use Customer page
 - [Issue #142](#)
- Added functionality to delete sources and add a specific year on the Cost of Water page
 - [Issue #143](#)
- Moved all application database connection strings to web.config file
 - [Issue #150](#)

Guide v1.1

- Redesigned User Maintenance interface to allow/require addition of existing users
 - [Issue #3](#)
- Fixed variable name mismatch on Phone number extension during new user registration
 - [Issue #19](#)
- Changed logon text to indicate that email address is username
 - [Issue #21](#), [Issue #46](#)
- Corrected data entry interpretation errors in Historical Water Use
 - [Issue #33](#)
- Reorganized Step 1 (Profile Module) into sub-steps (1a, 1b, 1c) organized by data types
 - [Issue #66](#)
- Implemented ability to logout logged-in user, by link in header
 - [Issue #77](#)
- Updated “Ok” button on page to “Save” to indicate more clearly that it must be pressed to save data entered into that page
 - [Issue #78](#)
- BMP plan summary calculations were corrected from errors that existed in the Database stored procedures
 - [Issue #105](#)
- Metering, Calibrating, and Replacing meters drop down text boxes were corrected to add an option for “annual”
 - [Issue #111](#)